

Semantics of UML class diagrams

Till Mossakowski¹

Otto-von-Guericke Universität Magdeburg, Germany

April 20, 2016

Definition (Set)

A set is a collection of objects. The basic relation is membership:

$$x \in A \text{ (} x \text{ is a member of } A\text{)}$$

The following operations and relations are defined on sets:

empty set \emptyset is the set with no members

enumeration set $\{a_1; \dots; a_n\}$ contains exactly $a_1; \dots; a_n$

subset $A \subseteq B$ iff for all x : $x \in A$ implies $x \in B$

comprehension $\{x \in A \mid P(x)\}$

(the set of all $x \in A$ such that $P(x)$ holds)

union $A \cup B = \{x \mid x \in A \text{ or } x \in B\}$

intersection $A \cap B = \{x \mid x \in A \text{ and } x \in B\}$

difference $A \setminus B = \{x \mid x \in A \text{ and not } x \in B\}$

powerset $\mathcal{P}(A) = \{B \mid B \subseteq A\}$

set of words (strings) over A $A^* = \{\varepsilon\} \cup \{a_1 \dots a_n \mid a_i \in A\}$

Definition (Cartesian product)

$$A \times B = \{(a, b) \mid a \in A \text{ and } b \in B\}$$

$$A \times B \times C = \{(a, b, c) \mid a \in A, b \in B \text{ and } c \in C\}$$

etc.

Definition (Relation)

A binary relation R on A and B is given by a set of pairs

$$R \subseteq A \times B$$

$(a, b) \in R$ often is written as $a R b$.

If $A = B$, then we speak of a binary relation R on A .

Definition (Partial Order)

A **partial order** (A, \leq) is given by a set A and a binary relation \leq on A , such that

- for all $x \in A$: $x \leq x$ (reflexivity)
- for all $x, y, z \in A$: $x \leq y$ and $y \leq z$ imply $x \leq z$ (transitivity)
- for all $x, y \in A$: $x \leq y$ and $y \leq x$ imply $x = y$ (antisymmetry)

Definition (Total Order)

A partial order (A, \leq) is called a **total order**, if additionally

- for all $x, y \in A$: $x \leq y$ or $y \leq x$ or $x = y$ (trichotomy)

Example (Sample partial orders)

- the set of natural numbers with the usual ordering \leq
- the set of natural numbers with the ordering “x can be divided by y”
- the lexicographic order on strings (used for sorting)
- the prefix order on strings

Which of these are total?

Semantics of UML class diagrams

- The semantics is given by a mathematical function \mathcal{S} , representing a snapshot of a system
- A snapshot \mathcal{S} includes all objects of a system, and their relations
- The evolution of a system can be represented by the transition of a system from a snapshot \mathcal{S}_1 to a new snapshot \mathcal{S}_2
 - evolution of a system is only considered later (state machines)

Semantics of a class hierarchy

- A class hierarchy is given a by a partial order (C, \leq)
 - antisymmetry means that cyclic subclasses are forbidden
- Each class $c \in C$ is interpreted as a finite set $\mathcal{S}(c)$
 - $\mathcal{S}(c)$ is the set of objects that are instances of class c
- If $c \leq d$, then $\mathcal{S}(c) \subseteq \mathcal{S}(d)$ must hold
 - hence, “each c **is a** d ”

- $\text{disjoint}(c_1 \leq d, \dots, c_n \leq d)$ expresses the condition

$$\mathcal{S}(c_i) \cap \mathcal{S}(c_j) = \emptyset \text{ for } i \neq j$$

- $\text{complete}(c_1 \leq d, \dots, c_n \leq d)$ expresses the condition

$$\mathcal{S}(c_1) \cup \dots \cup \mathcal{S}(c_n) = \mathcal{S}(d)$$

- no condition for overlapping and incomplete

Semantics of enumeration types and built-in types

- An enumeration type T with literals l_1, \dots, l_n has as its semantics the set of literals:

$$\mathcal{S}(T) = \{l_1, \dots, l_n\}$$

- A built-in type has a predefined semantics, e.g.

$$\mathcal{S}(\text{integer}) = \mathbb{Z}$$

$$\mathcal{S}(\text{string}) = A^*$$

where A is a suitable set of characters

Definition (Function)

A function f from a set A to a set B , written $f : A \rightarrow B$, associates with some of the elements $a \in A$ a unique element $b \in B$. This association is symbolically expressed as $f(a) = b$. The element $a \in A$ is called the argument and b the value of the function application $f(a)$. If there is no b , then $f(a)$ is undefined.

Note: a function $f : A \rightarrow B$ can be represented as a binary relation $graph(f) \subseteq A \times B$ as follows:

$$graph(f) = \{(a, f(a)) \mid a \in A\}$$

We have right-uniqueness:

$$(x, y) \in graph(f) \text{ and } (x, z) \in graph(f) \text{ imply } y = z$$

Definition (Total function)

A function $f : A \rightarrow B$ is **total**, if $f(a)$ is defined for all $a \in A$. In this case, we write $f : A \rightarrow B$.

Semantics of attributes

The semantics of an attribute $a : T$ of a class c is given by a partial function

$$\mathcal{S}(a) : \mathcal{S}(c) \rightarrow \mathcal{S}(T)$$

The function is needed to be partial because the value of the attribute may not have been initialised yet.

If an attribute $a : T$ has multiplicity other than 1, the semantics is given by

$$\mathcal{S}(a) : \mathcal{S}(c) \rightarrow \mathcal{P}(\mathcal{S}(T))$$

Semantics of query operations

The semantics of a query operation $op(x_1 : T_1; \dots x_n : T_n) : T$ of a class c is given by a partial function

$$\mathcal{S}(op) : \mathcal{S}(c) \times \mathcal{S}(T_1) \times \dots \times \mathcal{S}(T_n) \rightarrow \mathcal{S}(T)$$

Non-query operations will lead to a new snapshot and are not considered here.

- Given two classes c and d , the semantics of an association $c \xrightarrow{a} d$ is given by a binary relation

$$\mathcal{S}(a) \subseteq \mathcal{S}(c) \times \mathcal{S}(d)$$

- An association $c \xrightarrow[m..n]{a} d$ satisfies the multiplicity

$$c \xrightarrow[m..n]{a} d$$

if for all $y \in \mathcal{S}(d)$,

$$m \leq |\{x \mid (x, y) \in \mathcal{S}(a)\}| \leq n$$

Here, $|X|$ is the number of elements in X (also called cardinality of X).

A UML class diagram is **consistent**, if there is at least one snapshot satisfying all its conditions. Otherwise, it is **inconsistent**.